



SECTIONAL ELEVATION B-B

HEAVY DUTY INLET FRAME AND GRATE SHALL BE CAMPBELL FOUNDRY PHASE II STORM WATER COMPLIANT BICYCLE SAFE GRATE PATTERN No. 3425. MADE IN U.S.A.

APPLY TOP OF FRAME ELEVATION AT  $\phi$  OF CATCH BASIN

FINISH GRADE

PAVEMENT

INVERT ELEV.



SECTIONAL ELEVATION A-A

TABLE FOR CATCH BASIN TRAP ASSEMBLY	
PIPE SIZE	CAMPBELL FOUNDRY PATTERN NUMBER
10"	2563
12"	2563
15"	2564
18"	2565

NOTES:

1. DIMENSION "A" SHALL BE CONSISTENT WITH THE INVERT ELEVATION SHOWN ON CONTRACT DRAWINGS. WHEN NO INVERT ELEVATION IS SPECIFIED, DIMENSION "A" SHALL BE ADEQUATE TO PROVIDE A MINIMUM OF 2'-0" OF COVER OVER PIPE.
2. 8" WALLS PRECAST CONCRETE UNIT AS MANUFACTURED BY PRECAST CONCRTE SALES CO. UPON REQUEST OR APPROVED EQUAL.

SCALE = N.T.S.

STANDARD CONSTRUCTION DETAIL
<b>DOUBLE TYPE "C-1"</b>
<b>CURBLESS PRECAST</b>
<b>CATCH BASIN</b>
<b>WITH GRANITE CURBING</b>
TOWN OF GREENWICH, CONNECTICUT
ENGINEERING DIVISION
DEPARTMENT OF PUBLIC WORKS